

WULFE

Endless Series

Uninterrupted comfort
Endless hot water
Smart safety



AUSTRALIA AND NEW ZEALAND
GAS SAFETY CERTIFICATION



GMK10805
AS/NZS 5263.1.2



WULFE
SMARTER HOT WATER TECHNOLOGY



6.2 STAR ENERGY RATING

Experience Endless Hot Water

Introducing the WULFE Endless Series Continuous Flow Gas Water Heater

Engineered for efficiency with a 6.2-star energy rating, this advanced system guarantees endless hot water, reducing both energy consumption and household expenses. Built to endure Australia's harsh conditions, it's the ultimate solution for consistent, reliable hot water on demand.

GAS CIRCUIT
SAFETY PROTECTION



OVERHEATING
PROTECTION

UNEXPECTED
FLAMEOUT
PROTECTION



TEMPERATURE
SAFETY LOCK

VOLTAGE
OVERCURRENT
PROTECTION



VENTILATION
BLOCKING
PROTECTION

BURNTHROUGH
PROTECTION




SMART
AUTO-CHECK
SYSTEM

ANTI-FREEZING
PROTECTION




60 MIN NON-STOP
COMBUSTION
SHUTDOWN



ENDLESS HOT WATER, ENDLESS EFFICIENCY

The WULFE Endless Series ensures a constant supply of hot water with a 6.2-star energy rating, conserving energy and reducing costs. This system is designed for durability, even in harsh Australian conditions.




CUSTOMISABLE TEMPERATURE

With 11 temperature set points ranging from 38°C to 75°C, you can tailor the water temperature to your needs. The system's factory preset is 50°C, ensuring safety and comfort.



ADVANCED FLAMESUSTAIN™ TECHNOLOGY

FlameSustain™ ensures uninterrupted hot water even under low gas and water pressure or high wind conditions, providing stable combustion and reliable performance.



WATERSERVO TECHNOLOGY

This feature minimises water wastage by rapidly delivering hot water and maintaining a consistent temperature with precise control, conserving both water and energy.




SAFETY AND RELIABILITY

Equipped with dual CPU protection and an intelligent safety self-check system, the WULFE system offers multiple layers of safety, including protection against gas pressure fluctuations, overheating, and accidental flameouts.



BUILT FOR AUSTRALIAN CONDITIONS


Certified with the Australian Watermark, the WULFE Endless Series is compliant with Australian Standards, ensuring a reliable and safe hot water solution.



TECHNICAL SPECIFICATIONS

Available in models W20CF-2-NG and W26CF-2-NG, the system features a high-efficiency heat exchanger, low water flow activation, and robust insulation.

It operates with natural gas, providing 35kW heat output and water heating capacity of up to 45.5 L/min.



MODEL NUMBER	W20CF-2-NG	W26CF-2-NG	W20CF-2-LPG	W26CF-2-LPG
Gas type	NG	NG	LPG*	LPG*
Normal gas consumption (MJ/h)	160	195	160	195
Water pressure max. (kPa)	1,000	1,000	1,000	1,000
Water pressure min. (kPa)	150	150	150	150
Gas inlet pressure (kPa)	1.13 – 5.0	1.13 – 5.0	2.0 – 3.5	2.0 – 3.5
Test point pressure (Pa)	580 / 150	800 / 150	920 / 320	1600 / 320
Number of injectors (Pcs)	13	13	13	13
Diameter of injector (mm)	Ø2.15	Ø2.15	Ø1.3	Ø1.3
Burner control segment (Pcs)	7, 2, 4	7, 2, 4	7, 2, 4	7, 2, 4
Electrical rating (W)	48	66	48	66
Anti-freezing heating capacity (W)	100	100	100	100
Heat output (kW)	37	47	37	47
Water heating capacity at 25°C rise (L/min)	20	26	20	26
Water flow rate to activate heater (L/min)	2.3	2.3	2.3	2.3
Water flow rate to keep heater running (L/min)	1.7	1.7	1.7	1.7
Relief valve pressure setting (MPa)	1.0–1.5	1.0–1.5	1.0–1.5	1.0–1.5
Ingress protection rating (AS60529)	IPX4	IPX4	IPX4	IPX4
Power supply	220~240V / 50Hz		220~240V / 50Hz	
Ignition	Direct w/o pilot		Direct w/o pilot	
Gas inlet connection	G¾	G¾	G¾	G¾
Water inlet & outlet connection	G¾	G¾	G¾	G¾
Net weight / gross weight (kg)	19.7 / 22.2	19.7 / 22.2	19.7 / 22.2	19.7 / 22.2
Product dimensions (mm)	590 × 370 × 210	590 × 370 × 210	590 × 370 × 210	590 × 370 × 210
Package dimensions (mm)	712 × 425 × 298	712 × 425 × 298	712 × 425 × 298	712 × 425 × 298
GasMark approval number	GMK10805	GMK10805	GMK10805	GMK10805
WaterMark approval number	WM-032235	WM-032235	WM-032235	WM-032235

*** USE ONLY WITH PROPANE GAS. PROPANE-BUTANE GAS BLENDS (ULPG) ARE NOT SUITABLE FOR THIS MODEL.**

RESIDENTIAL WARRANTY – Original owner/occupier: 10-year product warranty and 2-year labour warranty. Original invoice as proof of purchase required. Other owners: 5-year product warranty and 2-year.

COMMERCIAL & NON-RESIDENTIAL WARRANTY – 3-year product warranty and 1-year labour warranty.

For detailed warranty terms and condition please refer to the product user manual.

